AUTHOR INDEX

Adendorff, K. T., 1

Balbi, J. H., 113
Balbi, N., 113
Barnes, J., 227
Bass, K., 151
Bentley, J. G., 267
Binder, M., 143
Bis, R., 227
Bjorklund, R., 17

Chiu, J. G., 119
Cho, Y. I., 183
Choi, W. M., 277
Chua, D., 25
Corrigan, D. A., 33

de Kock, A., 1
de Picciotto, L. A., 1

Ebner, W. B., 25
Ellis, S. R., 151
Enciso, M. L., 291

Folkesson, B., 77
Fouchard, D., 195
Frank, H., 183, 227
Fuhr, K. H., 275

Garche, J., 9, 67
Giovannoni, R. T., 277
Gonzalez-Sanabria, O. D., 177
Gross, S., 333

Hall, A. M., 267
Halpert, G., 183, 227
Hampson, N. A., 151
Hsien-wen Ko, 165
Hsing-yaw Hu, 165

Inganäs, O., 17

Jindra, J., 9, 67
Johnson, M., 151
Johnson, P. J., 1

Kallianidis, M., 143
Keister, P., 143
Krejči, I., 77

Larsson, R., 77
Lawson, D., 227
Lin, H. W., 25
Lokhande, C. D., 59
Ludwig, G., 105
Lundquist, J. T., 277

Mammone, R. J., 143
Maurer, D. W., 175
Maurer, R. H., 207
Messina, R., 157
Miller, L., 339
Morrow, G. W., 313
Mrha, K., 9, 67, 77
Musilová, M., 9, 67

Nicholas, V. A., 1
Novák, P., 17, 67

Ogborn, L. L., 91
Orenga, P., 113

Perichon, J., 157
Piliero, P., 133
Plichta, E., 25

Salomon, M., 25
Sarradin, J., 157
Sathyanarayana, S., 53
Schöner, H.-P., 91
Schneider, W., 105
Shukla, A. K., 53
Slane, S., 25
Subbarao, S., 227
Suresh, M. S., 45

Takeuchi, E. S., 133
Taylor, J. B., 195
Thackeray, M. M., 1
Tiller, S. E., 283

Uchiyama, M., 25
Uy, O. M., 207

Verniolle, J., 241
Vijayamohanan, K., 53

Wan, C. C., 119
Wang, Y. Y., 119
Wiesener, K., 9, 67, 105

Yi, T. Y., 297

Zimmerman, A. H., 327

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Aerospace cell performance
  Ni–Cd, effects of long term storage, 297
Alloys
  Pb–Ca, in sulphuric acid, electrochemical investigation of, 151
Aluminium
  study of reaction kinetics of $SOCl_2$ in electrolytes containing $AlCl_3$ or $LiAlCl_4$, 119

Battery(ies)
  Li, for spinel electrodes, 1
  Li/Ag vanadium oxide, with various Ag to V ratios, 133
  Li/$SOCl_2$ spacecraft, fault tree safety analysis of large, 207
  Ni–Zn electric vehicle, pulse power test on nickel oxide electrodes for, 33
  silver oxide/Zn, quality analysis of reserve-type, by capacitance and phase-angle measurements, 165
Battery-to-battery charge
  fast, 91
Battery development
  and testing at European Space Agency, 241
Battery performance
  international ultraviolet explorer (IUE) spacecraft, update, 283
Battery separator
  Grace DAKASEP alkaline, 277
Battery system
  NASA aerospace flight, program plan, 177
Bromine
  Li/SO_2 rechargeable cells containing added, 143

Cadmium
  earth radiation budget satellite (ERBS) orbiting profiles and Ni–Cd use, 291
  Ni–, performance relationships, statistically determined, 333
  Ni–Cd cells
    limitations in use of plastic-bonded electrodes in sealed, and their reasons
      button cells, 67
      prismatic and cylindrical cells, 9
    with Pellon 2536 separator and passivated positive plates, qualification testing of General Electric 50 A h, 313
    performance, effects of long term storage on aerospace, 297
    real time charge efficiency monitoring for Ni electrodes in, and Ni–H cells, 327
    test summary for advanced hydrogen cycle, 339
Calcium
  Pb–, alloys in sulphuric acid, electrochemical investigation of, 151
Capacitance
  and phase-angle measurements, quality analysis of reserve-type silver oxide/Zn batteries by, 165
Cell(s)
  electrochemical photovoltaic, formed with $CuInS_2$ films, 59
  Li, computer simulation of thermal modeling of primary, 183
  Li/Li_xCoO_2, rechargeable, 25
  Li–SO_2
    chemical analysis of charged, 227
    new electrolytes for, 157
    rechargeable, containing added Br, 143
  Ni–Cd
    limitations in use of plastic-bonded electrodes in sealed, and their lls, reasons
      button cells, 67
      prismatic and cylindrical cells, 9
    with Pellon 2536 separator and passivated positive plates, qualification testing of General Electric 50 A h, 313
    performance, effects of long term storage on aerospace, 297
    real time charge efficiency monitoring for Ni electrodes in, 327
    test summary for advanced hydrogen cycle, 339

© Elsevier Sequoia/Printed in The Netherlands

Ni–H
effect of overcharge on capacity below 1 V of, 45
failure analysis of 3.5 inch, 50 ampere hour, 275
real time charge efficiency monitoring for Ni electrodes in, 327
Charge efficiency monitoring
real time, for Ni electrodes in Ni–Cd and Ni–H cells, 327
Chemical analysis
of charged Li–SO_2 cells, 227
Cobalt
rechargeable Li/Li_xCoO_2 cell, 25
Computer simulation
of thermal modeling of primary Li cells, 183
Copper
on electrochemical photovoltaic cells formed with $CuInS_2$ films, 59
Cycling
influence of Fe(III) ions on nickel hydroxide electrode during long-term, 77
Cycling behaviour
of polypyrrole–polyethylene oxide composite electrode, 17

DAKASEP
Grace, alkaline battery separator, 277

Earth radiation budget satellite (ERBS)
orbiting profiles and Ni–Cd use, 291
Electric vehicle batteries
Ni–Zn, pulse power tests on nickel oxide electrodes for, 33
Electrochemical behaviour
of lead oxides in aprotic organic electrolyte solutions, 105
Electrochemical investigation
of Pb–Ca alloys in sulphuric acid, 151
Electrochemical photovoltaic cells
formed with $CuInS_2$ films, 59
Electrode(s)
Fe, open-circuit potential–recovery transients of alkaline porous, 53
nickel hydroxide, influence of Fe(III) ions on, during long-term cycling, 77
nickel oxide, for Ni–Zn electric vehicle batteries, pulse power tests on, 33
polypyrrole–polyethylene oxide composite, cycling behaviour of, 17
in sealed Ni–Cd cells, limitations in use of plastic-bonded, and their reasons
button cells, 67
prismatic and cylindrical cells, 9
spinel, for lithium batteries, 1
Electrolyte(s)
containing $AlCl_3$ of $LiAlCl_4$, study of reaction kinetics of $SOCl_2$ in, 119
for Li/SO_2 cells, new, 157
Electrolyte solutions
aprotic organic, electrochemical behaviour of lead oxides in, 105
European Space Agency
battery development and testing at, 241

Failure analysis
of 3.5 inch, 50 ampere hour Ni–H cell, 275
Fault tree safety analysis
of large Li/$SOCl_2$ spacecraft battery, 207

General Electric
50 A h Ni–Cd cells with Pellon 2536 separator and passivated positive plates, qualification testing of, 313
Grace DAKASEP
alkaline battery separator, 277

Hydrogen
Ni–, technology, advances in, 267
Ni–H cells
effect of overcharge on capacity below 1 V of, 45
failure analysis of 3.5 inch, 50 ampere hour, 275
real time charge efficiency monitoring for Ni electrodes in Ni–Cd and, 327
Hydrogen cycle
Ni–Cd, test summary for advanced, 339

Indium
on electrochemical photovoltaic cells formed with $CuInS_2$ films, 59
International ultraviolet explorer (IUE)
spacecraft battery performance update, 283
Iron
influence of Fe(III) ions on nickel hydroxide electrode during long-term cycling, 77

Iron electrodes
open-circuit potential–recovery transients of alkaline porous, 53

Lead
–Ca alloys in sulphuric acid, electrochemical investigation of, 151
Lead oxides
electrochemical behaviour of, in aprotic organic electrolyte solutions, 105
Lithium
/Ag vanadium oxide batteries with various Ag to V ratios, 133
chemical analysis of charged Li–SO_2 cells, 227
computer simulation of thermal modeling of primary Li cells, 183
fault tree safety analysis of large Li/$SOCl_2$ spacecraft battery, 207
MOLICEL® rechargeable Li system: multicell aspects, 195
rechargeable Li/Li_xCoO_2 cell, 25
/SO_2 cells, new electrolytes for, 157
/SO_2 rechargeable cells containing added Br, 143
study of reaction kinetics of $SOCl_2$ in electrolytes containing $AlCl_3$ or $LiAlCl_4$, 119
Lithium batteries
spinel electrodes for, 1
Long term storage
effects of, on aerospace Ni–Cd cell performance, 297

MOLICEL®
rechargeable Li system: multicell aspects, 195

Nickel
–Cd cells
limitations in use of plastic-bonded electrodes in sealed, and their reasons
button cells, 67
prismatic and cylindrical cells, 9
with Pellon 2536 separator and passivated positive plates, qualification testing of General Electric 50 A h, 313
performance, aerospace, effects of long term storage on, 297
test summary for advanced hydrogen cycle, 339
–Cd performance relationships, statistically determined, 333
earth radiation budget satellite (ERBS) orbiting profiles and Ni–Cd use, 291
–H cells
effect of overcharge on capacity below 1 V of, 45
failure analysis of 3.5 inch, 50 ampere hour, 275
–H technology, advances in, 267
real time charge efficiency monitoring for Ni electrodes in Ni–Cd and Ni–H cells, 327
–Zn electric vehicle batteries, pulse power tests on nickel oxide electrodes for, 33
Nickel hydroxide electrodes
influence of Fe(III) ions on, during long-term cycling, 77
Nickel oxide
electrodes for Ni–Zn electric vehicle batteries, pulse power tests on, 33

Orbiting profiles
earth radiation budget satellite (ERBS), and Ni–Cd use, 291
Overcharge
effect of, on capacity below 1 V of Ni/H cells, 45

Pellon 2536 separator
qualification testing of General Electric 50 A h Ni–Cd cells with, and passivated positive plates, 313
Performance relationships
Ni–Cd, statistically determined, 333
Photovoltaic cells,
on electrochemical, formed with $CuInS_2$ films, 59
Polyethylene oxide
polypyrrole–, composite electrode, cycling behaviour of, 17
Polypyrrole
–polyethylene oxide composite electrode, cycling behaviour of, 17
Potential–recovery transients
open-circuit, of alkaline porous Fe electrodes, 53
Pulse power tests
on nickel oxide electrodes for Ni–Zn electric vehicle batteries, 33

Qualification testing
of General Electric 50 A h Ni–Cd cells

with Pellon 2536 separator and passivated positive plates, 313
Quality analysis
of reserve-type silver oxide/Zn batteries by capacitance and phase-angle measurements, 165

Reaction kinetics
of $SOCl_2$ in electrolytes containing $AlCl_3$ or $LiAlCl_4$, 119

Safety analysis
fault tree, of large $Li/SOCl_2$ spacecraft battery, 207
Silver
Li/Ag vanadium oxide batteries with various Ag to V ratios, 133
Silver oxide
/Zn batteries, quality analysis of reserve-type, by capacitance and phase-angle measurements, 165
Solar concentrator
simplified model for, 113
Spacecraft battery
international ultraviolet explorer (IUE), performance update, 283
large $Li/SOCl_2$, fault tree safety analysis of, 207
Spinel electrodes
for lithium batteries, 1
Sulfur
fault tree safety analysis of large $Li/SOCl_2$ spacecraft battery, 207
$Li–SO_2$ cells
chemical analysis of charged, 227
new electrolytes for, 157
rechargeable, containing added Br, 143
study of reaction kinetics of $SOCl_2$ in electrolytes containing $AlCl_3$ or $LiAlCl_4$, 119

Test summary
for advanced hydrogen cycle Ni–Cd cell, 339
Thermal modeling
of primary Li cells, computer simulation of, 183

Vanadium
Li/Ag vanadium oxide batteries with various Ag to V ratios, 133

Zinc
Ni–, electric vehicle batteries, pulse power tests on nickel oxide electrodes for, 33
silver oxide/, batteries, quality analysis of reserve-type, by capacitance and phase-angle measurements, 165